

SYNONYMY OF THE GENERA *SITEROPSIS* AND *PEDICULASTER* (ACARI: HETEROSTIGMATA: PYGMEPHORIDAE)

A. A. Khaustov

Nikita Botanical Gardens — National Scientific Center, Yalta, Crimea 98648, Ukraine; e-mail: alkhaus-tov@mail.ru

KEY WORDS: Pygmephoridae, *Siteropsis*, *Pediculaster*, new synonym

Livshits et al. (1986) created a new monotypic genus *Siteropsis* Livshits, Mitrofanov et Sharonov, 1986, with a type species *Siteroptes prokopius* Samšiňák, 1976. The main difference between the genus *Siteropsis* and non-phoretic females of the genus *Pediculaster* Vitzthum, 1927 (= *Siteroptoides* Cross, 1965) is the absence of setae 1c on epimeres I, which is a result of incorrect description of *S. prokopius* (Samšiňák, 1979). Samšiňák (1979) restudied *S. prokopius* and considered it to represent non-phoretic females of *Pediculaster mesembrinae* (Canestrini, 1881), the type species

of the genus *Pediculaster*. Thus, the genus *Siteropsis* is a junior objective synonym of *Pediculaster*.

REFERENCES

- Livshits, I.Z., Mitrofanov, V.I., and Sharonov, A.A. 1986. [Revision of mites of family Siteroptidae Mahunka, 1970 (Acari, Tarsonemina)]. *Vrediteli i bolezni plodovykh, subtropicheskikh i dekornativnykh kultur. Sbornik nauchnykh trudov*, 99: 7–30. [In Russian]
- Samšiňák, K. 1979. Mites of Saudi Arabia. Acari from *Musca domestica*. *Fauna of Saudi Arabia*, 1: 69–74.