

**Revalidation of the spider genus *Elaver*  
O. Pickard-Cambridge, 1898 (Aranei Clubionidae).**

**Восстановление рода пауков *Elaver*  
O. Pickard-Cambridge, 1898 (Aranei Clubionidae).**

**Antonio D. Brescovit<sup>1</sup>, Alexandre B. Bonaldo<sup>1</sup>, Kirill G. Mikhailov<sup>2</sup>**  
**А.Д. Бресковит<sup>1</sup>, А.Б. Бональдо<sup>1</sup>, К.Г. Михайлов<sup>2</sup>**

<sup>1</sup> Museu de Ciencias Naturais, Fundação Zoobotânica do Rio Grande do Sul, C.P. 1188, 90001 Porto Alegre RS, Brasil. Pos- Graduação Zoologia, Univ. Federal do Paraná (Bolsista CAPES).

<sup>2</sup> Zoological Museum of the Moscow State University, Herzen Str. 6, K-9 Moscow 103009 Russia.

<sup>2</sup> Зоологический музей МГУ, ул. Герцена 6, К-9, Москва 103009 Россия.

**KEY WORDS:** *Elaver*, *Clubionoides*, synonymy, taxonomy.

**КЛЮЧЕВЫЕ СЛОВА:** *Elaver*, *Clubionoides*, синонимика, таксономия.

**ABSTRACT:** *Clubionoides* Edwards, 1958, is shown to be a new subjective junior synonym of *Elaver* O. Pickard-Cambridge, 1898, the latter being revalidated and removed from the synonymy of *Clubiona* Latreille, 1804. *Elaver* currently comprises 44 species hitherto embodied in *Clubionoides* and (one) in *Clubiona*, all listed in a catalogue.

**РЕЗЮМЕ:** Показано, что род *Clubionoides* Edwards, 1958, является новым субъективным младшим синонимом *Elaver* O. Pickard-Cambridge, 1898, а последний ревалидизирован и выведен из состава синонимов *Clubiona* Latreille, 1804. *Elaver* теперь включает 44 вида, ранее включенных в *Clubionoides* и (один) в *Clubiona* и перечисленных в каталоге.

### Introduction

The genus *Elaver* was erected without typification by O. Pickard-Cambridge [1898] to embody four Mexican species. Two years later, F.O. Pickard-Cambridge [1900] designated *E. tigrina* as the type-species of the genus and referred to *Elaver* as a subjective junior synonym of *Clubiona* Latreille, 1804. As such it has remained up to now. Edwards [1958] proposed *Clubionoides* for five species from the USA, all originally described in *Clubiona*, while both *C. tigrina* and *C. sericea* (O. Pickard-Cambridge) were transferred by Edwards [1958] to *Clubionoides*. Unfortunately, this dismissal - or outright negligence - of *Elaver* as a disponible name was followed by Brescovit & Bonaldo [1992] who transferred 32 Neotropical species to *Clubionoides*, mostly erstwhile *Clubiona* members.

Initially, the genus *Elaver* was established on the basis of certain features of leg armature and

spinneret structure [O. Pickard-Cambridge, 1898: 238]. After synonymization under *Clubiona*, it was tentatively maintained as the *pallens*-group of *Clubiona* [Gertsch & Davies, 1940; Gertsch, 1941]. The genus *Clubionoides* was distinguished as based both on leg armature and the structure of the ♂ and ♀ genitalia [Edwards, 1958: 375-376].

Unfortunately, diverse peculiarities of South and Central American *Elaver* species obscure the generic diagnostic characters indicated by Edwards [1958] and Dondale & Redner [1982]. Only the partly sclerotized tegulum of the ♂ bulb and the presence of a distinct scape in the ♀ epigyne, with the latter feature first mentioned by Gertsch & Davies [1940], combined with the anterior position of the copulatory openings remain definitive characters of the genus concerned. A lot of other peculiarities are polythetical and seem to be complementary to each other. Moreover, certain structural features of the ♂ palp of *Clubiona complicata* Banks, 1898, seem to permit inclusion of this species into *Elaver* [Banks, 1989, pl.XIII, fig.39], but the pattern of leg spination is contradictory, so we refrain from treating this species as *Elaver*.

Two of us (A.D.B., A.B.B.) have been advised about availability of *Elaver* by Dr. N. Platnick, and the third (K.G.M.) came across the synonymy of *Clubionoides* under *Elaver* quite separately and independently while working with American clubionids at the Naturhistorisches Museum Wien, Vienna, Austria.

This paper thus formalizes the synonymy of *Clubionoides* under *Elaver*, **syn.n.**, with all species currently incorporated in *Clubionoides* being formally transferred to *Elaver*, and one more new combination

established on the basis of the original description of an erstwhile *Clubiona* species.

### Genus *Elaver* O. Pickard-Cambridge, 1898

*Elaver* O. Pickard-Cambridge, 1898: 238, type-species *Elaver tigrina* O. Pickard-Cambridge, 1898, designated by F.O. Pickard-Cambridge [1900], replaced by *Clubiona tigrinella* Roewer, 1951: 445 (see also Roewer [1954: 1475], Bonnet [1956: 1651]) as a name preoccupied in *Clubiona*. Feminine gender.

*Clubionoides* Edwards, 1958: 375, type-species *Clubiona excepta* L. Koch, 1866 (= *C. pallens* Hentz, 1847, n.praeoccup.), by original designation, cf. Roddy [1966: 399], Dondale & Redner [1982: 97], Brignoli [1983: 552], Platnick [1989: 446; 1993: 616]. NEW SYNONYMY!

### Transferred species.

#### *Elaver achuca* (Roddy, 1966), comb.n.!

*Clubionoides achuca* Roddy, 1966: 401, figs. 3-4, ♂ from Carr Canyon, Huachuca Mountains, Arizona, United States.

#### *Elaver balboae* (Chickering, 1937), comb.n.!

*Clubiona balboae* Chickering, 1937: 12, figs. 4, 77-79, ♂ from Barro Colorado Island, Panama;  
*Clubiona balboai*: Bonnet, 1956: 1110 (invalid amendment, cf. ICBN Article 31aI);  
*Clubionoides balboai*: Brescovit & Bonaldo, 1992: 689.

#### *Elaver barroana* (Chickering, 1937), comb.n.!

*Clubiona barroana* Chickering, 1937: 13, figs. 13, 30, ♀ from Barro Colorado Island, Panama;  
*Clubionoides barroana*: Brescovit & Bonaldo, 1992: 689.

#### *Elaver brevipes* (Keyserling, 1891), comb.n.!

*Chiracanthium brevipes* Keyserling, 1891: 39, fig. 16a, ♀ from Alto da Serra, Nova Friburgo, Rio de Janeiro, Brazil;  
*Euticharus brevipes*: Simon, 1897: 84;  
*Clubionoides brevipes*: Brescovit & Bonaldo, 1992: 686.

#### *Elaver calcarata* (Kraus, 1955), comb.n.!

*Clubiona calcarata* Kraus, 1955: 41, pr. 6, fig. 102, ♂ from Finca El Carmen (1300 m alt.), Vulcan San Vicente, San Vicente, El Salvador;  
*Clubionoides calcarata*: Brescovit & Bonaldo, 1992: 689.

#### *Elaver carlota* (Bryant, 1940), comb.n.!

*Clubiona carlota* Bryant, 1940: 421, 422, fig. 206, ♀ from Mina Carlota, Montanhas Trinidad, Cuba;  
*Clubionoides carlota*: Brescovit & Bonaldo, 1992: 689.

#### *Elaver chisosa* (Roddy, 1966), comb.n.!

*Clubionoides chisosa* Roddy, 1966: 401, fig. 5, ♀ from The Basin, Chisos Mountains, Big Bend National Park, Texas, United States.

#### *Elaver crinophora* (Franganillo, 1935), comb.n.!

*Clubiona crinophora* Franganillo, 1935: 47, ♀ from Serra de Los Organos, Cuba;  
*Clubionoides crinophora*: Brescovit & Bonaldo, 1992: 689.

#### *Elaver crocota* (O. Pickard-Cambridge, 1896), comb.n.!

*Clubiona crocota* O. Pickard-Cambridge, 1896: 168, pl. 21, fig. 2-3, ♂ ♀, from Teapa, Tabasco, Mexico;  
*Clubionoides crocota*: Brescovit & Bonaldo, 1992: 690.

#### *Elaver cubana* (Roewer, 1951), comb.n.!

*Clubiona albicans* Franganillo, 1930: 30, ♀ from Cuba (preoccupied by *Clubiona albicans* Bosenberg, 1@0);  
*Clubiona cubana* Roewer, 1951: 445, replacement name for *C. albicans* Franganillo, 1930;

*Clubionoides cubana*: Brescovit & Bonaldo, 1992: 690.

#### *Elaver depuncta* O. Pickard-Cambridge, 1898, nomen revalidatum

*Elaver depuncta* O. Pickard-Cambridge, 1898: 240, pl. 30, fig. 10, ♀ from Orizaba, Mexico;  
*Clubiona depuncta*: F.O. Pickard-Cambridge, 1900: 89, pl. 6, figs. 24-25;  
*Clubionoides depuncta*: Brescovit & Bonaldo, 1992: 691.

#### *Elaver dorothea* (Gertsch, 1935), comb.n.!

*Clubiona dorothea* Gertsch, 1935: 12, fig. 25, ♀ from Edinburg, Texas, United States;  
*Clubionoides dorothea*: Edwards, 1958: 381, figs. 22, 34-36, 208.

#### *Elaver elaver* (Bryant, 1940), comb.n.!

*Clubiona elaver* Bryant, 1940: 423-424, fig. 208, ♀ from Pico Turquino, Cuba;  
*Clubionoides elaver*: Brescovit & Bonaldo, 1992: 691.

#### *Elaver excepta* (L. Koch, 1866), comb.n.!

*Clubiona pallens* Hentz, 1847: 449, pr. 23, fig. 13, ♂ & ♀ from Baltimore, Maryland, United States (preoccupied by *C. pallens* Hahn, 1834);

*Clubiona excepta* L. Koch, 1866: 300-301, Taf. 12, fig. 191, replacement name for *C. pallens* Hentz, 1847;

*Clubionoides excepta*: Edwards, 1958: 377, figs. 19, 31-33, 211.

#### *Elaver exempta* (Gertsch & Davies, 1940), comb.n.!

*Clubiona exempta* Gertsch & Davies, 1940: 16, ♀ from La Buena Ventura, Vera Cruz, Mexico;  
*Clubionoides exempta*: Brescovit & Bonaldo, 1992: 689.

#### *Elaver grandivulvae* (Mello-Leitao, 1930), comb.n.!

*Teudis grandivulvae* Mello-Leitao, 1930: 68, figs. 34, 35, ♀ from Cumina River, Oriximiná, Pará, Brazil;

*Teudis grandivulva*: Bonnet, 1959: 4367 (invalid amendment);

*Clubionoides grandivulva*: Brescovit & Bonaldo, 1992: 688.

#### *Elaver hortoni* (Chickering, 1937), comb.n.!

*Clubiona hortoni* Chickering, 1937: 14, figs. 57, 73, 74, ♀, from Barro Colorado Island, Panama;

*Clubionoides hortoni*: Brescovit & Bonaldo, 1992: 691.

#### *Elaver implicata* (Gertsch, 1941), comb.n.!

*Clubiona implicata* Gertsch, 1941: 18, fig. 46, ♀ from Kenscoff, Haiti;

*Clubionoides implica*: Roewer, 1954: 511 (lapsus);

*Clubionoides implicata*: Brescovit & Bonaldo, 1992: 691.

- Elaver juana* (Bryant, 1940), **comb.n.!**  
*Clubiona juana* Bryant, 1940: 424-25, figs 201, 203, 204, ♂ ♀  
 from Soledad, Cuba;  
*Clubionoides juana*: Brescovit & Bonaldo, 1992: 691.
- Elaver kohlsi* (Gertsch & Jellison, 1939), **comb.n.!**  
*Clubiona kohlsi* Gertsch & Jellison, 1939: 10, fig. 3, ♀ from Hamilton, Ravalli Co., Montana, United States;  
*Clubionoides kohlsi*: Edwards, 1958: 379, figs. 21, 37, 209.
- Elaver languida* (Gertsch, 1941), **comb.n.!**  
*Clubiona languida* Gertsch, 1941: 18, fig. 48, ♀ from Costa Rica;  
*Clubionoides languida*: Brescovit & Bonaldo, 1992: 691.
- Elaver linguata* (F.O. Pickard-Cambridge, 1900), **comb.n.!**  
*Clubiona linguata* F.O. Pickard-Cambridge, 1900: 90, pl. 6, fig. 27, ♀ from Guatemala;  
*Clubionoides linguata*: Brescovit & Bonaldo, 1992: 691.
- Elaver lutescens* (Schmidt, 1971), **comb.n.!**  
*Josa lutescens* Schmidt, 1971: 414, fig. 19, ♀ from Colombia, intercepted in Hamburg, Germany;  
*Clubionoides lutescens*: Brescovit & Bonaldo, 1992: 687, figs. 5-6.
- Elaver madera* (Roddy, 1966), **comb.n.!**  
*Clubionoides madera* Roddy, 1966: 399, figs. 1-2, ♀ from Madera Canyon, Arizona, United States.
- Elaver mulaiki* (Gertsch, 1935), **comb.n.!**  
*Clubiona mulaiki* Gertsch, 1935: 11, figs. 22-24, ♀ from 7 mi. E of Edinburg, Texas, United States;  
*Clubionoides mulaiki*: Edwards, 1958: 379, figs. 20, 24-26, 207.
- Elaver multinotata* (Chickering, 1937), **comb.n.!**  
*Clubiona multinotata* Chickering, 1937: 16, figs. 23, 62, 71, 72, ♂ ♀ from Barro Colorado Island, Panama.  
*Clubionoides multinotata*: Brescovit & Bonaldo, 1992: 691.
- Elaver orvillei* (Chickering, 1937), **comb.n.!**  
*Clubiona orvillei* Chickering, 1937: 18, figs. 29, 59, ♀ from Barro Colorado Island, Panama;  
*Clubionoides orvillei*: Brescovit & Bonaldo, 1992: 691.
- Elaver placida* O. Pickard-Cambridge, 1898, **nomen revalidatum!**  
*Elaver placida* O. Pickard-Cambridge, 1898: 240, pl. 31, fig. 4, ♀ from Teapa, Tabasco, Mexico;  
*Clubiona placida*: F.O. Pickard-Cambridge, 1900: 90;  
*Clubionoides placida*: Brescovit & Bonaldo, 1992: 691.
- Elaver portoricensis* (Petrunkevitch, 1930), **comb.n.!**  
*Clubiona portoricensis* Petrunkevitch, 1930: 55, figs. 49-51, ♂ & ♀ from Barros, Mayaguez, Aibonito and El Yunque, Porto Rico;  
*Clubionoides portoricensis*: Brescovit & Bonaldo, 1992: 691.
- Elaver quadrata* (Kraus, 1955), **comb.n.!**  
*Clubiona quadrata* Kraus, 1955: 42-43, pl. 6, fig. 104, ♀ from Institut, San Salvador, El Salvador;
- Clubionoides quadrata*: Brescovit & Bonaldo, 1992: 691.
- Elaver richardi* (Gertsch, 1941), **comb.n.!**  
*Clubiona richardi* Gertsch, 1941: 17-18, fig. 52, ♂ from Lake Atitlan, Honduras;  
*Clubionoides richardi*: Brescovit & Bonaldo, 1992: 691.
- Elaver sericea* O. Pickard-Cambridge, 1898, **nomen revalidatum!**  
*Elaver sericea* O. Pickard-Cambridge, 1898: 239, ♀ from Teapa, Tabasco, Mexico;  
*Clubiona sericea* F.O. Pickard-Cambridge, 1900: 89, pl. 6, fig. 23;  
*Clubionoides sericea*: Edwards, 1958: 380; Brescovit & Bonaldo, 1992: 691.
- Elaver sigillata* (Petrunkevitch, 1925), **comb.n.!**  
*Clubiona sigillata* Petrunkevitch, 1925: 139-142, figs. 62-64, ♂ & ♀ from "Wilcox camp on San Lorenzo River", Panama;  
*Clubionoides sigillata*: Brescovit & Bonaldo, 1992: 691.
- Elaver silvatica* (Chickering, 1937), **comb.n.!**  
*Clubiona silvatica* Chickering, 1937: 20-21, figs. 12, 15, ♀ from Barro Colorado Island, Panama.
- Elaver simplex* (O. Pickard-Cambridge, 1896), **comb.n.!**  
*Clubiona simplex* O. Pickard-Cambridge, 1896: 195, ♂ from Izabal, Guatemala;  
*Clubionoides simplex*: Brescovit & Bonaldo, 1992: 691.
- Elaver tenuis* (Franganillo, 1935), **comb.n.!**  
*Clubiona tenuis* Franganillo, 1935: 47, ♀ from Cordillera de Los Organos, Cuba;  
*Clubionoides tenuis*: Brescovit & Bonaldo, 1992: 691.
- Elaver texana* (Gertsch, 1933), **comb.n.!**  
*Clubiona texana* Gertsch, 1933: 7, fig. 16, ♀ from Brownsville, Texas, United States;  
*Clubionoides texana*: Edwards, 1958: 380, figs. 23, 27-30, 210.
- Elaver tigrinella* (Roewer, 1951), **comb.n.!**  
*Elaver tigrina* O. Pickard-Cambridge, 1898: 238, pl. 30, figs. 6-7, ♂ & ♀ from Orizaba, Mexico.  
*Clubiona tigrina*: F.O. Pickard-Cambridge, 1900: 88-89, preoccupied in *Clubiona* by *C. tigrina* Walckenaer, 1841 = *Coelotes atrops* (Walckenaer, 1825). Nomen oblitum according to ICZN Article 59b.  
*Clubiona tigrinella* Roewer, 1951: 445, replacement name for *C. tigrina* (O. Pickard-Cambridge, 1898).  
*Clubionoides tigrinella*: Edwards, 1958: 379; Brescovit & Bonaldo, 1992: 689.
- Elaver tricuspis* (F.O. Pickard-Cambridge, 1900), **comb.n.!**  
*Clubiona tricuspis* F.O. Pickard-Cambridge, 1900: 90, pl. 6, fig. 26, ♂ from Guatemala;  
*Clubionoides tricuspis*: Brescovit & Bonaldo, 1992: 691.
- Elaver tristani* (Banks, 1909), **comb.n.!**  
*Clubiona tristani* Banks, 1909: 198, fig. 5, ♂ from Tablago, Costa Rica;  
*Clubionoides tristani*: Brescovit & Bonaldo, 1992: 691.
- Elaver tumivulva* (Banks, 1909), **comb.n.!**

*Clubionia tumidula* Banks, 1909: 199, fig. 19, ♀ from Hatillo, Costa Rica;

*Clubionoides tumidula*: Brescovit & Bonaldo, 1992: 691.

*Elaver valvula* (F.O. Pickard-Cambridge, 1900), comb.n.!

*Aysba valvula* F.O. Pickard-Cambridge, 1900: 99, pl. 7, fig. 20, ♀ from Bugaba, Chiriquí, Panama;

*Clubionoides valvula*: Brescovit & Bonaldo, 1992: 689, figs. 8-9.

*Elaver vulnerata* (Kraus, 1955), comb.n.!

*Clubionia vulnerata* Kraus, 1955: 41-42, pl. 6, fig. 103, ♀ from Finca San Jorge, Santa Ana Depto, El Salvador;

*Clubionoides vulnerata*: Brescovit & Bonaldo, 1992: 691.

*Elaver wheeleri* (Roewer, 1933), comb.n.!

*Clubionia wheeleri* Roewer, 1933: 187-188, figs. 4a,b, ♀ from Veracruz, Mirador, Mexico;

*Clubionoides wheeleri*: Brescovit & Bonaldo, 1992: 691.

## Acknowledgement

We are grateful to Dr. N.I. Platnick who has noted the availability of *Elaver* and kindly revised an earlier draft of our manuscript.

## References

- Banks, N. 1898. Arachnida from Baja California and other parts of Mexico // Proc. Calif. Acad. Sci. 3rd Ser. Vol.1. No.7. P.205-308, pl.XIII-XVII.
- Banks, N. 1909. Arachnida from Costa Rica // Proc. Acad. Nat. Sci. Philadelphia. Vol.61. P.194-234.
- Bonnet, P. 1955. Bibliographia Araneorum. Toulouse, Ed. Douladoure. Vol.2. Pt.1. P.1-918.
- Bonnet, P. 1956. Bibliographia araneorum. Toulouse, Ed. Douladoure. Vol.2. Pt.2. P.919-1926.
- Bonnet, P. 1959. Bibliographia araneorum. Toulouse, Ed. Douladoure. Vol.2. Pt.5. P.4231-5058.
- Brescovit, A.D. & Bonaldo A.B. 1992. Genero *Clubionoides* Edwards (Araneae, Clubionidae): Combinações novas e redescrição de quatro espécies neotropicais // Revista bras. Ent. T.36. No.3. P.685-692.
- Brignoli, P.M. 1983. A catalogue of the Araneac described between 1940 and 1981. Manchester, Manchester Acad. Press. 755 pp.
- Bryant, E.B. 1940. Cuban spiders in the Museum of Comparative Zoology // Bull. Mus. comp. Zool. Vol.86. No.7. P.249-554.
- Chickering, A.M. 1937. The clubionids of Barro Colorado Island, Panama // Trans. Am. Microsc. Soc. Vol.56. P.1-47.
- Dondale, C.D. & Redner, J.H. 1982. The sac spiders of Canada and Alaska. Araneae: Clubionidae and Anyphaenidae. The Insects and Arachnids of Canada. Part 9. Ottawa Research Branch, Agriculture Canada Public. 1724. 159 pp.
- Edwards, G.B. 1958. The spider subfamily Clubioninae of the United States, Canada and Alaska (Araneae: Clubionidae) // Bull. Mus. comp. Zool. Vol.118. No.6. P.365-436.
- Franganillo, B.P. 1930. Aracnídos de Cuba. Mas aracnídos nuevos de la Isla de Cuba. La Habana, 1930. P.1-53.
- Franganillo, B.P. 1935. Estudios de los aracnídos reconocidos durante el verano de 1934 [2] // Revista Belen. T.51-52. P.42-48.
- Gertsch, W.J. 1933. Diagnosis of new American spiders // Am. Mus. Novit. No.637. P.1-14.
- Gertsch, W.J. 1935. New American spiders with notes on other species // Ibid. No.805. P.1-24.
- Gertsch, W.J. 1941. New American spiders of the family Clubionidae. II // Ibid. No.1148. P.1-18.
- Gertsch, W.J. & Davis, L.I. 1940. Report on a collection of spiders from Mexico. III // Ibid. No.1069. P.1-22.
- Gertsch, W.J. Jellison, W.L. 1939. Notes on a collection of spiders from Montana // Ibid. No.1032. P.1-13.
- Hentz, N.M. 1847. Descriptions and figures of the Araneae of the United States // J. Boston Soc. Nat. Hist. T.5. P.443-478.
- International Code of Zoological Nomenclature, adopted by the XX General Assembly of the International Union of Biological Sciences. 1985. [Cited after the Russian translation, Leningrad, Nauka Publ. 1988. 203 pp.]
- Keyserling, E.G. 1891. Die Spinnen Amerikas. Brasilianische Spinnen. Nürnberg. Bd.3. 278 S.
- Koch, L. 1866. Die Arachniden-Familie der Drassiden. Nürnberg. Heft 6. S.257-304, Taf.XI-XII.
- Kraus, O. 1955. Spinnen aus El Salvador (Arachnoidea, Araneac) // Abh. Senckenb. Ges. Nr.493. S.1-112.
- Mello-Leitão, C.F. de 1930. Aranhas do Cumina // Arch. Mus. Nac. R. Janeiro. T.32. P.51-75.
- Petrunkevitch, A. 1925. Arachnida from Panama // Trans. Conn. Acad. Arts Sci. Vol.27. P.51-248.
- Petrunkevitch, A. 1930. The spiders of Porto Rico. Part. III // Ibid. Vol.31. P.1-191.
- Pickard-Cambridge, O. 1896. Arachnida-Araneida // Biologia Centrali-Americana. London. Vol 1. P.161-224.
- Pickard-Cambridge, O. 1898. Arachnida-Araneida // Ibid. London. Vol.1. P.233-288.
- Pickard-Cambridge, F.O. 1900. Arachnida-Araneida // Ibid. London. Vol.2. P.89-192.
- Platnick, N.I. 1989. Advances in spiders taxonomy 1981-1987: supplement to Brignoli's "A catalogue of the Araneac described between 1940 and 1981". Ed. by P. Merrett. Manchester Univ. Press. 673 pp.
- Platnick, N.I. 1993. Advances in spiders taxonomy 1988-1991. With synonymies and transfers 1940-1980. Ed. by P. Merrett. New York, New York Entomol. Soc. in assoc. with Am. Mus. Nat. Hist. 846 pp.
- Roddy, L.R. 1966. New species, records, of clubionid spiders // Trans. Am. Microsc. Soc. Vol.85. No.3. P.399-407.
- Roewer, C.F. 1933. Araneen aus mexikanischen Ameisen-Wohnpflanzen // Zool. Anz. Bd.102. S.183-188.
- Roewer, C.F. 1951. Neue Namen einiger Araneen-Arten // Abh. naturwiss. Ver. Bremen. Bd.32. S.437-456.
- Roewer, C.F. 1954. Katalog der Araneae von 1758 bis 1940. Bruxelles. Bd.2. Pt.1. 923 S.
- Schmidt, G.E.W. 1971. Mit eingeschleppte Spinnen // Zool. Beitr. Bd.17. H.2/3. S.387-433.
- Simon, E. 1897. Histoire Naturelle des Araignées. Paris, Librarie Encyclopédique de Roret.T.2. Fasc.1. P.89-104.